

UniQube Drain Back Reservoir

Solar Draining Tank





1







UniQube Drain Back Reservoir

- CONVERTS ANY SOLAR TANK TO DRAIN BACK TANK adding this reservoir to the solar thermal circuit this reservoir will convert your system into the drain back solar thermal system.
- UTILIZES MAXIMUM OF SOLAR THERMAL HEAT EXCHANGER with drain back solar thermals you can install as much collector's power as solar heat exchanger can transfer.
- UNIQUBE PERFORMACES this reservoir is produced according to our UniQube standards. Quboid shape, insulation thickness of UniQubes, flat connectors, perfect design.
- EASY TO INSTALL Drain back reservoir can be installed on a simple table or on a wall, 650mm above the floor, if on the same floor is installed its UniQube solar tank.
- LONG WARRANTY TERM this reservoir is warrantied by 10 years.



ISO 9001 LL-C (Certification

Solar Draining Tank

NEW



Insulated with polyurethane, minimizing the heat loss in idle or stand by mode. Solar thermal loop, positioned above the tank, can reach volume up to 25 liters, which allows installaltion of bigger number of solar thermal panels.







UNIQUBE DRAIN BACK RESERVOIR			
		50	100
D1 (diameter)	(mm)	600	600
HD (height)	(mm)	450	780
H2 (height)	(mm)	140	350
a (width)	(mm)	725	725
connections M, N		5/4″	5/4″
max. working pressure	(bar)	1,5	1,5
max. test pressure	(bar)	2,5	2,5
reservoir volume	(liters)	50	100
Approx. weight	(kg)	30	43
Material		Stainless steel 304	

* 150 I on request









M - Solar in N - Drain Back out

In Operation







UniQube Heart of your energy systems





PRODUCTION FACILITY: Euroterm d.o.o. Lece Koteski 50 Industrial area Biljana, 7500 Prilep, R. N. Macedonia

